

**CLUTCH SYSTEM / FLYWHEEL**

Car  
Model Model Year Engine Size Splines Dia. and Teeth

Description	PARTS No.		PRS.N/ W.kg	Remarks
-------------	-----------	--	-------------	---------

**TOYOTA****Vitz**

**NCP10** 99.10 ~ 2NZ-FE 200mm 24.1 21

METAL REINFORCED CLUTCH DISC	00C 022 C201T			
ORGANIC CLUTCH DISC	00C 022 D201T			
REINFORCED CLUTCH COVER	00C 022 B802		5400	

**NCP13** 00.10 ~ 1NZ-FE 215mm 24.1 21

METAL REINFORCED CLUTCH DISC	00C 022 C205T			
REINFORCED CLUTCH COVER	00C 022 B151		6900	

**NCP15** 99.10 ~ 2NZ-FE 215mm 24.1 21

METAL REINFORCED CLUTCH DISC	00C 022 C205T			
REINFORCED CLUTCH COVER	00C 022 B151		6900	

**Starlet**

**EP71 (Turbo charger)** 86.1 ~ 89.11 2ET 200mm 24.1 21

METAL REINFORCED CLUTCH DISC	00C 022 C201T			
ORGANIC CLUTCH DISC	00C 022 D201T			
REINFORCED CLUTCH COVER	00C 022 B802		5400	

**EP82,91(NA)** 89.12 ~ 99.7 4E-F(E) 200mm 24.1 21

METAL REINFORCED CLUTCH DISC	00C 022 C201T			
ORGANIC CLUTCH DISC	00C 022 D201T			
REINFORCED CLUTCH COVER	00C 022 B802		5400	

**EP82,91(Turbo Chager)** 89.12 ~ 99.7 4E-FTE 215mm 24.1 21

METAL REINFORCED CLUTCH DISC	00C 022 C205T			
REINFORCED CLUTCH COVER	00C 022 B151		6900	
CHROME MOLIBDENIUM FLYWHEEL	104 023A		4.1kg	

**Cynos**

**EL44,5#** 91.1 ~ 99.71 #E-F(H)E 200mm 24.1 21

METAL REINFORCED CLUTCH DISC	00C 022 C201T			
ORGANIC CLUTCH DISC	00C 022 D201T			
REINFORCED CLUTCH COVER	00C 022 B802		5400	

**Sera**

**EXY10** 90.3 ~ 95.12 5E-FHE 200mm 24.1 21

METAL REINFORCED CLUTCH DISC	00C 022 C201T			
ORGANIC CLUTCH DISC	00C 022 D201T			
REINFORCED CLUTCH COVER	00C 022 B802		5400	

**Corrola 2**

**EL41.43.51.53** 90.9- 99.7 4E-FE,5E-F(H)E 200mm 24.1 21

METAL REINFORCED CLUTCH DISC	00C 022 C201T			
ORGANIC CLUTCH DISC	00C 022 D201T			
REINFORCED CLUTCH COVER	00C 022 B802		5400	

**EL31(Turbo Charger)** 86.9- 90.8 2NZ-FE 215mm 24.1 21

METAL REINFORCED CLUTCH DISC	00C 022 C205T			
REINFORCED CLUTCH COVER	00C 022 B151		6900	

**Corrola, Sprinter**

**AE82** 84.10- 87.4 4A-GE 200mm 24.1 21

METAL REINFORCED CLUTCH DISC	00C 022 C201T			
ORGANIC CLUTCH DISC	00C 022 D201T			
REINFORCED CLUTCH COVER	00C 022 B802		5400	
CHROME MOLIBDENIUM FLYWHEEL	116 023 A		3.7kg	

**AE86** 83.5- 87.4 4A-GE 200mm 24.1 21

METAL REINFORCED CLUTCH DISC	00C 022 C201T			
ORGANIC CLUTCH DISC	00C 022 D201T			
REINFORCED CLUTCH COVER	00C 022 B802		5400	
CHROME MOLIBDENIUM FLYWHEEL	116 023 A		3.7kg	
SUPER SINGLE CLUTCH SYSTEM	116 022 SP		12550	Include release Bearing

**Corrola , Sprinter**

**AE91,92** 87.5 ~ 89.4 4A-GE,5AF 200mm 24.1 21

METAL REINFORCED CLUTCH DISC	00C 022 C201T			
------------------------------	---------------	--	--	--

ORGANIC CLUTCH DISC	00C 022 D201T			
REINFORCED CLUTCH COVER	00C 022 B802		5400	
CHROME MOLIBDENIUM FLYWHEEL	116 023 A		3.7kg	For 4AG Engine
SUPER SINGLE CLUTCH SYSTEM	120 022 SP		12550	Include release Bearing
<b>AE91,92</b>	89.5 ~ 92.4	4A-GE,5AF(H)E	215mm	24.1 21
METAL REINFORCED CLUTCH DISC	00C 022 C205T			
REINFORCED CLUTCH COVER	00C 022 B151		6900	
CHROME MOLIBDENIUM FLYWHEEL	122 023 A		4.4kg	For 4AG Engine
SUPER SINGLE CLUTCH SYSTEM	120 022 SP		12550	Include release Bearing
<b>AE92(Super Charger)</b>	87.5 ~ 90.9	4A-GZ	225mm	29.8 21
METAL REINFORCED CLUTCH DISC	00C 022 C203T			
REINFORCED CLUTCH COVER	00C 022 B161		6900	
<b>AE92(Super Charger)</b>	90.10 ~ 91.5	4A-GZ	230mm	29.8 21
METAL REINFORCED CLUTCH DISC	00C 022 C121T			
REINFORCED CLUTCH COVER	00C 022 B171		7900	
<b>AE95 (4WD)</b>	87.5 ~	4AF(H)E	225mm	29.8 21
METAL REINFORCED CLUTCH DISC	00C 022 C203T			
REINFORCED CLUTCH COVER	00C 022 B161		6900	
<b>AE101</b>	91.6 ~ 95.4	4A-GE,5AF	215mm	24.1 21
METAL REINFORCED CLUTCH DISC	00C 022 C205T			
REINFORCED CLUTCH COVER	00C 022 B151		6900	
CHROME MOLIBDENIUM FLYWHEEL	122 023 A		4.4kg	
SUPER SINGLE CLUTCH SYSTEM	120 022 SP		12550	Include release Bearing, For 4AG Engine
<b>AE101(Super Charger)</b>	91.6 ~ 95.5	4A-GZ	230mm	29.8 21
METAL REINFORCED CLUTCH DISC	00C 022 C121T			
REINFORCED CLUTCH COVER	00C 022 B171		7900	
<b>AE110</b>	91.6 ~	5AF	215mm	24.1 21
METAL REINFORCED CLUTCH DISC	00C 022 C205T			
REINFORCED CLUTCH COVER	00C 022 B151		6900	
<b>AE111 (6MT/5MT)</b>	95.5 ~	4A-GE	215mm	24.1 21
METAL REINFORCED CLUTCH DISC	00C 022 C205T			
REINFORCED CLUTCH COVER	00C 022 B151		6900	
CHROME MOLIBDENIUM FLYWHEEL	122 023 A		4.4kg	
SUPER SINGLE CLUTCH SYSTEM	120 022 SP		12550	Include release Bearing, For 4AG Engine
<b>Corrola Runx / Alex</b>				
<b>NZE121,124</b>	01.1 ~	1NZ-FE	215mm	24.1 21
METAL REINFORCED CLUTCH DISC	00C 022 C205T			
REINFORCED CLUTCH COVER	00C 022 B151		6900	
<b>ZZE123</b>	01.1 ~	2ZZ-GE	215mm	24.1 21
METAL REINFORCED CLUTCH DISC	00C 022 C205T			
REINFORCED CLUTCH COVER	00C 022 B151		6900	
<b>Corrola Wagon</b>				
<b>AE111 (6MT/5MT)</b>	91.6 ~	4A-GE	215mm	24.1 21
METAL REINFORCED CLUTCH DISC	00C 022 C205T			
REINFORCED CLUTCH COVER	00C 022 B151		6900	
CHROME MOLIBDENIUM FLYWHEEL	122 023 A		4.4kg	
<b>Cellica ( Front Wheel drive)</b>				
<b>ST202,203</b>	93.10 ~ 99.9			
METAL REINFORCED CLUTCH DISC				
REINFORCED CLUTCH COVER				
<b>ZZT23#</b>	99.9 ~	2ZZ-GE,1ZZFE	215mm	24.1 21
METAL REINFORCED CLUTCH DISC	00C 022 C205T			
REINFORCED CLUTCH COVER	00C 022 B151		6900	
<b>Cellica ( 4WD)</b>				
<b>ST165, 185 205</b>	86.10 ~99.9	3S-GTE	240mm	29.8 21

METAL REINFORCED CLUTCH DISC	00C 022 C302T			
REINFORCED CLUTCH COVER	00C 022 B252		9300	
CHROME MOLIBDENIUM FLYWHEEL	137 023 T		4.5kg	For ST185, 205
TWIN PLATE CLUTCH SYSTEM	137 022 TP		9800	Push Type For ST185,205 Including release Bearing
SUPER SINGLE CLUTCH SYSTEM	137 022 SP		12550	Not For ST185,205 Including release Bearing

**Carina**

<b>AT160</b>	85.8- 88.4	4A-GE	200mm	24.1 21
METAL REINFORCED CLUTCH DISC	00C 022 C201T			
ORGANIC CLUTCH DISC	00C 022 D201T			
REINFORCED CLUTCH COVER	00C 022 B802		5400	

<b>AT170</b>	88.5- 89.7	4A-GE	200mm	24.1 21
METAL REINFORCED CLUTCH DISC	00C 022 C201T			
ORGANIC CLUTCH DISC	00C 022 D201T			
REINFORCED CLUTCH COVER	00C 022 B802		5400	

<b>AT170</b>	89.8- 92.8	4A-GE, 5A-F	200mm	24.1 21
METAL REINFORCED CLUTCH DISC	00C 022 C205T			
REINFORCED CLUTCH COVER	00C 022 B151		6900	

<b>AT170</b>	88.5- 90.4	5AF	200mm	24.1 21
METAL REINFORCED CLUTCH DISC	00C 022 C201T			
ORGANIC CLUTCH DISC	00C 022 D201T			

<b>AT171</b>	88.5- 92.8	4A-FE	200mm	24.1 21
METAL REINFORCED CLUTCH DISC	00C 022 C201T			
ORGANIC CLUTCH DISC	00C 022 D201T			
REINFORCED CLUTCH COVER	00C 022 B802		5400	

<b>AT175</b>	88.8- 92.8	4A-FE	225mm	29.8 21
METAL REINFORCED CLUTCH DISC	00C 022 C203T			
REINFORCED CLUTCH COVER	00C 022 B161		6900	

<b>AT21#</b>	96.8 ~	4A-GE, 5A-F	215mm	24.1 21
METAL REINFORCED CLUTCH DISC	00C 022 C205T			
REINFORCED CLUTCH COVER	00C 022 B151		6900	

<b>ST215</b>	86.10 -99.9	3S-FE	240mm	29.8 21
METAL REINFORCED CLUTCH DISC	00C 022 C302T			
REINFORCED CLUTCH COVER	00C 022 B252		9300	

**MR2**

<b>AW11 (NA)</b>	84.6- 85.5	4A-GE	200mm	24.1 21
METAL REINFORCED CLUTCH DISC	00C 022 C201T			
ORGANIC CLUTCH DISC	00C 022 D201T			
REINFORCED CLUTCH COVER	00C 022 B802		5400	
CHROME MOLIBDENIUM FLYWHEEL	116 023 A		3.7kg	

<b>AW11 (NA)</b>	85.6- 89.10	4A-GE	215mm	24.1 21
METAL REINFORCED CLUTCH DISC	00C 022 C205T			
ORGANIC CLUTCH DISC				
REINFORCED CLUTCH COVER	00C 022 B151		6900	
CHROME MOLIBDENIUM FLYWHEEL	122 023 A		4.4kg	

<b>AW11 (Super Charger)</b>	86.8- 89.10	4A-GZE	225mm	29.8 21
METAL REINFORCED CLUTCH DISC	00C 022 C203T			
REINFORCED CLUTCH COVER	00C 022 B161		6900	

<b>SW20 (NA)</b>	89.10- 99.10	3S-GTE	200mm	24.1 21
METAL REINFORCED CLUTCH DISC				
REINFORCED CLUTCH COVER				
CHROME MOLIBDENIUM FLYWHEEL	137 023 NA		4.5kg	

<b>SW20 (Turbo Charger)</b>	89.10- 99.10	3S-GTE	240mm	29.8 21
METAL REINFORCED CLUTCH DISC	00C 022 C302T			
REINFORCED CLUTCH COVER	00C 022 B252		9300	
CHROME MOLIBDENIUM FLYWHEEL	137 023 T		4.5kg	

TWIN PLATE CLUTCH SYSTEM	137 022 TP		9800	Push Type Including release Bearing
SUPER SINGLE CLUTCH SYSTEM	137 022 SP		12550	Including release Bearing
<b>MRS</b>				
<b>ZZW30</b>	99.10-	1ZZ-FE	200mm	24.1 21
METAL REINFORCED CLUTCH DISC	00C 022 C205T			
REINFORCED CLUTCH COVER	00C 022 B151		6900	
<b>ALTEZZA</b>				
<b>SXE10</b>	85.6- 89.10	3S-GTE	225mm	29.8 21
METAL REINFORCED CLUTCH DISC	00C 022 C203T			
REINFORCED CLUTCH COVER	00C 022 B195		6900	
CHROME MOLIBDENIUM FLYWHEEL	195 023 A		6.4kg	
SUPER SINGLE CLUTCH SYSTEM	195 022 SP		12550	Including release Bearing, (Note 1)
<b>CARIB</b>				
<b>AE95G</b>	90.9-	4A-F(H)E	225mm	29.8 21
METAL REINFORCED CLUTCH DISC	00C 022 C203T			
REINFORCED CLUTCH COVER	00C 022 B161		6900	
<b>AT160</b>				
<b>AT160</b>	85.8- 88.4	4A-GE	200mm	24.1 21
METAL REINFORCED CLUTCH DISC	00C 022 C201T			
ORGANIC CLUTCH DISC	00C 022 D201T			
REINFORCED CLUTCH COVER	00C 022 B802		5400	
<b>MARK</b>				
<b>JZX90,100,110</b>	92.10-	1JZ-GTE		26 24
HYPER SINGLE CLUTCH SYSTEM	175 022 HP		11800	
<b>SUPREA</b>				
<b>JZA70</b>	90.8-93.5	1JZ-GTE		26 24
HYPER SINGLE CLUTCH SYSTEM	175 022 HP		11800	
<b>SOARER</b>				
<b>JZZ30</b>	91.6-	1JZ-GTE		26 24
HYPER SINGLE CLUTCH SYSTEM	175 022 HP		11800	

( Note 1 ) : NISSAN Genue Clank Bolts # 12315-04U00 8pcs necessary