

STURUT BAR

CUSCO STRUT BAR

(Ti) TITANIUM SHAFT
(CB) Φ40 CARBON FIBER SHAFT
(ALC 40Φ) Φ40ALUMINUM & CARBON FIBER SHAFT
(40Φ) Φ 40ALUMINUM PIPE SHAFT
(40D) Φ40 D SECTIOND ALUMINUM PIPE SHAFT

(ALCOS) OVAL SECTION ALUMINUMU & CARBON FIBER SHAFT
(OS) ALUMINUMU OVAL SHFT
(AS) ALUMINUMU SHAFT
(ST) STEAL SHAFT
(OS-T) REAR TRIANGLE TYPE SUPPLEMENTARY BRACE

Vacanza STRUT BAR

(VAC) ALUMINUMU OVAL SHAFT

CUSCO LOWER ARM BAR

() LOWER ARM BAR VERSION
() LOWER ARM BAR VERSION

Vacanza LOWER ARM BAR

(VAC) LOWER ARM BAR VERSION
(VAC) LOWER ARM BAR VERSION

Car Model Model Year

Description	FRONT			REAR		
	Type	PARTS No.	Remarks	Type	PARTS No.	Remarks

SUBARU

RITNA		GC4		98.10 ~		
STRUT BAR	OS	655 540A	For EJ16	OS	660 541A	It is necessary to process rear trim.
	ST	655 510A	For EJ16	AS	660 511A	It is necessary to process rear trim.
REX		KH4		88.8 ~		
	AS	652 510A	For 660cc S/C only.	AS	652 511A	It is necessary to use with strut brace.
VIVIO		KK4		92.4 ~ 98.9		
STRUT BAR	OS	654 540A	Include KK3	OS	654 541A	Include KK3
	AS	654 510A	Include KK3	AS	654 511A	It is necessary to use with strut brace.
IMPREZA		GC8		92.8 ~ 00.9		
STRUT BAR	OS	660 540A	For 280ps. 96.10 ~	OS	660 541A	It is necessary to process rear trim.
				OS-T	660 544A	It is necessary to use with strut brace.
	ST	660 510A		AS	660 511A	It is necessary to process rear trim.
	Ti	660 547A	For model:F.G.	CB	660 551A	It is necessary to process rear trim.
	ALC40φ	660 535A	It is necessary to use with CUSCO inter-cooler.			
	40 φ	660 525A		40 φ	660 526A	It is necessary to process rear trim.
LOWER ARM BAR		660 475A	Not for NA.		660 476A	Not for model:A.
		660 477A	Not for NA.			
		GC8(2DOOR)		96.9 ~ 00.9		
STRUT BAR	OS	660 540A	For 280ps.	OS	660 541A	It is necessary to process rear trim.
				OS-T	660 544A	It is necessary to use with strut brace.
	ST	660 510A		AS	660 511A	It is necessary to process rear trim.
	Ti	660 547A	For model:F.G.	CB	660 551A	It is necessary to process rear trim.
	ALC40φ	660 535A	It is necessary to use with CUSCO inter-cooler.			
	40 φ	660 525A		40 φ	660 526A	It is necessary to process rear trim.
LOWER ARM BAR		660 475A	Not for NA.		660 476A	Not for model:A.
		660 477A	Not for NA.			
		GDA,GDB MODEL:A,B		00.8 ~ 02.10		
STRUT BAR	OS	667 540A		OS	666 541A	It is necessary to process rear trim.
				OS-T	660 544A	It is necessary to use with strut brace.
				AS	666 511A	It is necessary to process rear trim.
	Ti	667 547A		CB	666 551A	It is necessary to process rear trim.
				40 φ	666 526A	It is necessary to process rear trim.
LOWER ARM BAR		666 475A	Not for MODEL:B spec-C			
		666 477A	Not for MODEL:B spec-C			
		GDA,GDB MODEL:A,B		00.8 ~ 02.10		
STRUT BAR	OS	667 540A		OS	666 541A	It is necessary to process rear trim.
				OS-T	660 544A	It is necessary to use with strut brace.
				AS	666 511A	It is necessary to process rear trim.
	Ti	667 547A		CB	666 551A	It is necessary to process rear trim.
				40 φ	666 526A	It is necessary to process rear trim.
LOWER ARM BAR		666 475A	Not for MODEL:B spec-C			
		666 477A	Not for MODEL:B spec-C			
		GDB MODEL:B SPEC		01.9 ~ 02.10		
STRUT BAR	OS	667 540A		OS	666 541A	It is necessary to process rear trim.
				AS	666 511A	It is necessary to process rear trim.
	Ti	667 547A		CB	666 551A	It is necessary to process rear trim.
				40 φ	666 526A	It is necessary to process rear trim.
LOWER ARM BAR		660 475A	Not for MODEL:B spec-C			
		660 477A	Not for MODEL:B spec-C			

GDB MODEL:C,D (Include SPEC-C) 02.11 ~						
STRUT BAR	OS	667 540A		OS	666 541A	It is necessary to process rear trim.
				AS	666 511A	It is necessary to process rear trim.
	Ti	667 547A		CB	666 551A	It is necessary to process rear trim.
				40 φ	666 526A	It is necessary to process rear trim.
LOWER ARM BAR		660 475A	Not for MODEL:B spec-C			
		660 477A	Not for MODEL:B spec-C			
IMPREZA SPORTS WAGON GF3,8 93.10 ~ 00.9						
STRUT BAR	OS	660 540A	For 280ps. 96.10 ~	OS	657 541A	It is necessary to process rear trim.
	ST	660 510A	Include GF2	AS	657 511A	Include GF2
LOWER ARM BAR		660 475A	Not for NA.		660 476A	
		660 477A	Not for NA.			
STRUT BAR	VAC	660 540V		VAC	657 541V	It is necessary to process rear trim.
LOWER ARM BAR	VAC	660 475V				
	VAC	660 477V				
GGA 00.8 ~						
STRUT BAR	OS	667 540A		OS	666 541A	It is necessary to process rear trim. Include GGB
				AS	666 511A	
	Ti	667 547A		CB	666 551A	
				40 φ	666 526A	
LOWER ARM BAR		660 475A	Include GGB			
		660 477A				
FORESTER SF5(TURBO) 97.2 ~ 02.1						
STRUT BAR	OS	660 540A	Include SF9	OS	658 541A	It is necessary to process rear trim.
	ST	660 510A		AS	658 511A	It is necessary to process rear trim.
LOWER ARM BAR		660 475A	Not for NA.		660 476A	
		675 477A	Not for NA.			
STRUT BAR	VAC	660 540V		VAC	658 541V	It is necessary to process rear trim.
LOWER ARM BAR	VAC	660 475V	Not for NA.			
SG5(TURBO) 02.2 ~						
STRUT BAR	OS	667 540A	Include SF9	OS	658 541A	It is necessary to process rear trim.
	Ti	667 547A		AS	658 511A	It is necessary to process rear trim.
LOWER ARM BAR		676 475A	Not for NA.		660 476A	
		676 477A	Not for NA.			
STRUT BAR				VAC	658 541V	It is necessary to process rear trim.
LEGACY(TURBO) BC5 89.2 ~ 93.10						
STRUT BAR	OS	655 540A	For 280ps. 96.10 ~			
	ST	655 510A	Include GF2	ST	655 511A	It is necessary to process rear trim.
LOWER ARM BAR		660 475A	Not for NA.			
		660 477A	Not for NA.			
BD5(4 DOOR) 93.10 ~ 98.5						
STRUT BAR	ALCOS	680 535A				
	OS	680 540A		OS	659 541A	It is necessary to process rear trim.
	AS	680 510A		AS	659 511A	It is necessary to process rear trim.
LOWER ARM BAR		660 475A	Not for NA.		660 476A	
		658 477A	Not for NA.			
LEGACY B4 BE5(TURBO) 98.12 ~						
STRUT BAR	ALCOS	680 535A	Not for NA.	ALCOS	680 536A	It is necessary to process rear trim.
	OS	680 540A	Not for NA.	OS	680 541A	It is necessary to process rear trim.
	AS	680 510A	Not for NA.	AS	680 511A	It is necessary to process rear trim.
LOWER ARM BAR		660 475A	Not for NA.		680 476A	
		658 477A	Not for NA.			
LEGACY TURING WAGON BF5 89.2 ~ 93.10						
STRUT BAR	OS	655 540A		OS	657 541A	It is necessary to process rear trim. Include BF3
	ST	655 510A		AS	657 511A	
LOWER ARM BAR		660 475A	Not for NA.			
		660 477A	Not for NA.			
STRUT BAR	VAC	655 540V		VAC	657 541V	
LOWER ARM BAR	VAC	660 475V	Not for NA.			
	VAC	660 477V	Not for NA.			
BG5 93.11 ~ 98.5						
STRUT BAR	ALCOS	680 535A		OS	658 541A	It is necessary to process rear trim.
	OS	680 540A		AS	658 511A	It is necessary to process rear trim.
	AS	680 510A		CB	658 551A	It is necessary to process rear trim.
				40 φ	658 526A	It is necessary to process rear trim.
LOWER ARM BAR		660 475A	Not for NA.		660 476A	
		658 477A	Not for NA.			

STRUT BAR	VAC	680 540V		VAC	658 541V	
LOWER ARM BAR	VAC	660 475V	Not for NA.			
	VAC	658 477V	Not for NA.			
BH5(TURBO)		98.6 ~				
STRUT BAR	ALCOS	680 535A	Not for NA.	ALCOS	680 536A	It is necessary to process rear trim.
	OS	680 540A	Not for NA.	OS	680 541A	It is necessary to process rear trim.
	AS	680 510A	Not for NA.	AS	680 511A	It is necessary to process rear trim.
	Ti	680 547A	Not for NA.			
LOWER ARM BAR		660 475A	Not for NA.		680 476A	
		658 477A	Not for NA.			
STRUT BAR	VAC	680 540V	Not for NA.	VAC	680 541V	It is necessary to process rear trim.
LOWER ARM BAR	VAC	660 475V	Not for NA.	VAC	680 476V	
	VAC	658 477V	Not for NA.			
BH5(NA)		98.6 ~				
STRUT BAR	OS	682 540A				
STRUT BAR	VAC	682 540V				
BH9						
STRUT BAR	OS	682 540A	Include BEE RS30	ALCOS	680 536A	It is necessary to process rear trim.
				OS	680 541A	It is necessary to process rear trim.
				AS	680 511A	It is necessary to process rear trim.
LOWER ARM BAR		682 475A			680 476A	
		682 477A	Not for BEE RS30			
STRUT BAR	VAC	682 540V	Include BEE RS30	VAC	680 541V	It is necessary to process rear trim.
LOWER ARM BAR	VAC	682 475V		VAC	680 476V	
	VAC	682 477V	Not for BEE RS30			
BP5(TURBO,AT)		03.5 ~				
STRUT BAR	ALCOS	684 535A		ALCOS	684 536A	It is necessary to process rear trim.
	OS	684 540A		OS	684 541A	It is necessary to process rear trim.
	AS	684 510A		AS	684 511A	It is necessary to process rear trim.
LOWER ARM BAR		684 475A				
		684 477A	Include BL5, M/T.		684 478V	Include BL5
STRUT BAR	VAC	684 540V		VAC	684 541V	It is necessary to process rear trim.
LOWER ARM BAR	VAC	684 475V				
	VAC	684 477V	Include BL5, M/T.	VAC	684 478V	Include BL5
LEGACY LANCASTER (NA)		BH9(2500cc),BHE(3000cc)				
STRUT BAR	OS	682 540A	Include BEE RS30	ALCOS	680 536A	It is necessary to process rear trim.
				OS	680 541A	It is necessary to process rear trim.
				AS	680 511A	It is necessary to process rear trim.
LOWER ARM BAR		683 475A	Not for later model.		680 476A	
		683 477A	Not for later model.			
STRUT BAR	VAC	682 540V	Include BEE RS30	VAC	680 541V	It is necessary to process rear trim.
LOWER ARM BAR	VAC	683 475V	Not for later model.	VAC	680 476V	
	VAC	683 477V	Not for later model.			